

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In the Patent of:

Bruce Joseph ROSER

Patent No.: 7,220,836 B2

Issued: 22 May 2007

For: DRIED BLOOD FACTOR COMPOSITION  
COMPRISING TREHALOSE

Confirmation No.: 2868

Art Unit: 1651

Examiner: Ruth A. Davis

**PETITION UNDER 37 CFR 1.182**

**REQUEST FOR RESTORATION OF PATENT TERM ADJUSTMENT**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

The present application was originally filed 6 October 2003.

A response was filed to the first Office action on the merits on 21 September 2006. In an effort to expedite prosecution, terminal disclaimers were filed with respect to issued patent 6,649,386 and three copending applications. The terminal disclaimers were filed on PTO form PTO/SB/25(10/05).

This was followed by a Notice of Allowance mailed 13 March 2007 which indicated that a patent term adjustment of 378 days was granted.

In reviewing the case in preparation for paying the issue fee, applicant realized that the terminal disclaimer form provided by the Office did not make an exception for patent term

Because this was submitted with the issue fee, the patent term adjustment granted by the Office was reduced to 306 days, or 72 days less than originally granted.

The petition fee is enclosed.

In the unlikely event that the transmittal letter is separated from this document and the Patent Office determines that an extension and/or other relief is required, applicant petitions for any required relief including extensions of time and authorize the Commissioner to charge the cost of such petitions and/or other fees due in connection with the filing of this document to **Deposit Account No. 03-1952** referencing docket No. 559662000103.

Respectfully submitted,

Dated: May 23, 2008

By: \_\_\_\_\_ / Kate H. Murashige /  
Kate H. Murashige  
Registration No.: 29,959  
**MORRISON & FOERSTER LLP**  
12531 High Bluff Drive, Suite 100  
San Diego, California 92130-2040  
Telephone: (858) 720-5112  
Facsimile: (858) 720-5125